# STATEMENT OF WORK (SOW)

FOR THE REBUILD OF

**AIMING CIRCLE, M2A2** 

NSN 6675-01-067-0687

SOW-02-833-1-00476C-1/1

5 Mar 2001

## STATEMENT OF WORK FOR THE Rebuild of the Aiming Circle, M2A2 NSN 6675-01-067-0687

- 1.0 Scope. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor (for purposes of this SOW, Contractor is defined as the commercial or government entity performing the rebuild) to rebuild the M2A2 Aiming Circle, NSN 6675-01-067-0687, ID# 00476C, TAMCN E01807. This document contains requirements to restore the M2A2 Aiming Circle to Condition Code "A". Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repairs or replacement of worn or unserviceable elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the items."
- 2.0 <u>Applicable Documents</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

### 2.1 Military Standards

MIL-STD-129

DoD Standard Practice for Military Marking

## 2.2 Other Government Documents and Publications

(AM) P11785090 Special Packaging Instructions (SPI)

TM 00476C-24&P w/chg 1 dtd 29 Jan 99 M2A2 Aiming Circle with Change A

TM 9-1290-262-10 Aiming Circle M2 and M2A2 with Change A

DMWR 9-1290-262 Aiming Circle

DoD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Materiel

from the Federal Supply System

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.3 Industry Standards

ANSI/ISO/ASQC Q9002-1994 Quality Systems – Model for Quality Assurance

in Production, Installation and Servicing

**Industry Standards (For Guidance)** 

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or <a href="http://www.dodssp.daps.mil">http://www.dodssp.daps.mil</a>. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the contracting officer: Commander, Marine Corps Logistics Bases (Code 891), 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (229) 639-6753 or DSN 567-6753. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 851-3, 814 Radford Blvd. STE 20320, Albany, GA 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

## 3.0 Requirements

### 3.1 Rebuild.

The contractor shall use the following documents to assist in the rebuilding of the Aiming Circles: TM 00476C-24&P w/chg 1 dtd 29 Jan 99, TM 9-1290-262-10, and DMWR 9-1290-262.

Upon completion, rebuilt M2A2, Aiming Circles shall be in Condition Code "A".

#### 3.2 Quality Assurance/Quality Control.

The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9002-1994, Quality Systems - Model for Quality Assurance in Production, Installation, and Servicing. Quality acceptance and test procedures shall be in accordance with TM 00476C-24&P w/chg1, dtd 29 Jan 1999 chapter 4, section III, paragraph 4-4, page 4-16.

3.3 <u>Configuration Control</u>. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the contractor shall

prepare and submit a Request for Deviation. MIL-HDBK-61 (paragraph 4.3 and Table 4-9) and ANSI/EIA-649 (paragraph 5.3.4) provide guidance for preparing this configuration control document.

## 3.4 Packaging, Handling, Storage and Transportation (PHS&T).

- a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items being prepared for long-term storage or shipment to overseas destinations shall be in accordance with the level "A" requirements of SPI (AM) P11785090 which may be obtained from Materiel Management Division, Logistics Support Section (822-1), Suite 20320, 814 Radford Blvd, Albany, Georgia 31704-0320, Commercial (229) 639-6786 or DSN 567-6786. Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with level "B" requirements.
  - b. Marking for shipment and storage shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the contractor.

## 3.5 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM).

GFE is government owned equipment authorized by contract for use by a commercial/Government Contractor. It is neither consumed during production nor incorporated into any product. GFM is material furnished to a Contractor that will be consumed during the course of production or incorporated into the product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements the Management Control Activity (MCA/827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.

3.6 <u>Contractor Furnished Materiel</u>. The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A.) In the event that Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DOD Supply System. DOD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.

## **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Artington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no parson shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Accuracy PR No. listed in Rinck F.

to the Government Issuero Co	intracting Officer for the Contract/P	R No. listed in Blog	ck E.									
A. CONTRACT LINE ITEM NO.		B. EXHIBIT			C. CATEGORY:  TDP TM OTH			RX				
D. SYSTEM/ITEM		E. CONTRACT/PR NO.		F. CONTRACTOR								
Aiming Circle, M2A2												
1. DATA ITEM NO.	2. TITLE OF DATA ITEM	-				3. SUBTITLE			_			
A001		Request For Deviation					Configuration Management					
4. AUTHORITY (Data Acquis	nition Document No.)	5. CONTRACT REFERENCE					6. REQUIRING OFFICE					
Dl-CMAN-80640C		SOW 3.3					MCLBA (851)					
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY		12. DATE OF FIRST SUBMISSI			14. DISTRIBUTION					
LT	KENDIKEN	ASREQ 11. AS OF DATE			SEE BLK	16			b. COPIES			
8. APP CODE				13. DATE OF SUBSECUENT SUBMISSION			a. Addressee		Dreft Final			
Α	A								Diate	Reg	Repro	
16, REMARKS	ator format is sutl	horized and shall be su		uhmitta	hmittad in dae or n		MCLBA (		0	0	0	
format.	Cioi Ioimai is aun	ionzeu ai	id shall be si	ионине	u m .uoc or .	.pui		A (851-2)	0	1	0	
Rike 10 & 12 DEDs shall be submitted to obtain authorization to deliver							L		<u> </u>			
Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation.												
									$oxedsymbol{oxedsymbol{oxed}}$	}		
RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.									<u> </u>	]		
receipt by the Government.												
RFDs shall be submitted via e-mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil							l		<b>└</b>			
mbmatcomcon	figmngmnt@matc	om.usmc	.mil				<u></u>		igsquare			
<b>5</b> 1 22 11 6		• 6		**								
Distribution St	atement A: Appr	oved for	public releas	se, distr	ribution is un	limited			<u> </u>			
							L		<b>└</b>			
									igsquare			
							<u> </u>		$\sqcup \bot$			
									<b>├</b>			
								···	$\vdash$			
							<u> </u>		-			
									$\longmapsto$			
										-		
									<b>├</b>			
									<b>├</b> ─∔			
							ļ		<b>├</b> ─-∤			
								<u> </u>				
							<b> </b>		<del>├</del>			
							<u> </u>					
							<u> </u>		<del>├</del> ──┤			
							<u> </u>		$\vdash \vdash \vdash$			
									$\vdash$			
									<del>⊢</del> ⊢			
							-		<del>                                     </del>			
							<del></del>		, +			
									-			
							15. TOTAL		0	1	0	
G. PREPARED BY	·		H. DATE		I. APPROVED B	γ	120.10186		J. DATE			
	$\bigcap$					X \	۸ ۲					
Una bulse 2/20/2001 3/51							t lly	3/5/0,				
DD FORM 1423-	1, AUG 96 (EG)		7	PREVIOUS	EDITION MAY BE	USED.			Page	of	Pages	